

NOTICE OF TAP WATER RESULTS
LEAD AND COPPER RULE SAMPLING PROGRAM SCHOOL RESULTS
 For Schools that are not a MassDEP registered public water system

Please note: the LCR program for public water systems is not the Lead Contamination Control Act (LCCA)¹ program for schools or Early Education and Care (EEC) childcare facility for evaluating lead and copper in drinking water. MassDEP encourage you to use these LCR results to enhance your LCCA program. For assistance with your LCCA program please see the MassDEP Drinking Water Program contact information listed in the Information section below.

School/Childcare Facility Name: Mount Wachusett Community College
 Date: 10/17/2022
 Sampling Address: 444 Green St
 Copy of analytical report attached: Yes No

Date Samples Collected: 09/21/2022

Dear School Superintendent:

Thank you for your participation in the **Gardner Water Department** and Massachusetts Department of Environmental Protection (MassDEP) Lead and Copper Rule (LCR) public water system sampling program.

The lead and copper levels in the water samples we collected at your school for the period specified above are:

Location*	Result in milligrams per liter(mg/L)	Result is <u>Above the LCR Lead or Copper Action Level</u>	Result is <u>At or Below the LCR Lead or Copper Action Level</u>
Cafeteria Bubbler	LEAD: ND mg/L	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	COPPER: 0.045 mg/L	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cafeteria Kitchen Sink	LEAD: 0.017 mg/L	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	COPPER: 0.071 mg/L	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**The school should provide the PWS with sample location information using MassDEP recommended LCCA fixture location code (Org. Code - Location Code - Location Type - Location Name) e.g. 99999999-010-DW-Second Floor Bubbler near RM 210². For more information see <https://www.mass.gov/guides/sampling-for-lead-and-copper-at-schools-and-childcare-facilities#-how-to-label-taps->*

Exceeding a LCR Action Level is not a violation of the LCR but actions should be taken to address the elevated level. If your school copper results are above the Copper Action Level or your lead results are above the lowest possible lead concentration as recommended by the LCCA, follow the MassDEP guidance in the document titled "Follow-up Steps for Schools or Childcare Facilities Based on Lead and Copper Sampling Results" located at <https://www.mass.gov/guides/follow-up-steps-for-schools-and-eccf-with-lead-and-copper-sampling-results-above-the-action>. For assistance, contact the MassDEP Drinking Water Program at the email or phone number listed below.

Use the USEPA guide listed below to establish routine practices to reduce exposure to elevated lead levels, including the following:

- Regularly flush all water outlets used for drinking, food preparation or medical uses, particularly after weekends and long vacations when water may have been stagnant for a long period of time.
- Never use hot water from the faucet for drinking or cooking. Never boil water to remove lead. Boiling water may concentrate lead.
- If Point of Use (POU) treatment devices are installed, make sure they are maintained. An example of a POU device is a filter on a faucet or within a drinking water fountain or water bottle filler.

¹ <https://www.epa.gov/sites/production/files/2015-09/documents/epalccapamphlet1989.pdf>

² For information on how to assign identification for a LCCA tap is located in the Set up an LCCA Program at your School at <https://www.mass.gov/assistance-program-for-lead-in-school-drinking-water>

- These routine practices may also be applicable for copper.

Copper: The LCR Action Level for Copper is 1.3 mg/l and the Maximum Contaminant Level Goal (MCLG)³ is also 1.3 mg/l. When copper is present in water, it is typically due to the water flowing through service line or internal pipes or plumbing in buildings with copper and brass parts. *Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively short amount of time could experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years could suffer liver or kidney damage. People with Wilson's Disease should consult their personal doctor.*

Lead: The LCR Action Level for Lead is 0.015 mg/l and the MCLG is zero. When lead is present in water, it is typically due to the water flowing through service lines or internal pipes or plumbing in buildings with lead pipes or plumbing with lead solder or brass. *Infants and children who drink water containing lead in excess of the action level could experience delays in their physical or mental development. Children could show slight deficits in attention span and learning abilities. Adults who drink this water over many years could develop kidney problems or high blood pressure.* Because lead may pose serious health risks, both the EPA and the Centers for Disease Control and Prevention (CDC) agree that “there is no known safe level of lead in a child’s blood”⁴, therefore MassDEP, and Massachusetts Department of Public Health (MDPH) recommend that water from taps/fixtures used for drinking, food preparation and medical uses in schools or EECF contain no measurable level of lead and that testing of school drinking water should be conducted by a Massachusetts certified laboratory capable of measuring concentrations of 1 ppb (ug/L) or lower.

For More Information:

MassDEP Lead and Copper in drinking water:

<https://www.mass.gov/service-details/is-there-lead-in-my-tap-water>

<https://www.mass.gov/service-details/copper-and-your-health>

<https://www.mass.gov/lists/contaminants#lead->

<https://www.mass.gov/files/documents/2017/12/11/pouompbcutips.pdf>

MassDEP Drinking Water Program Contact: program-director-dwp@mass.gov or 617-292-5770

MDPH Lead and Copper in Drinking Water FAQ and Quick Facts:

<https://www.mass.gov/service-details/sources-of-lead-besides-lead-paint>

<https://www.mass.gov/media/1571266/>

<https://www.mass.gov/media/1571251/>

CDC: <http://www.cdc.gov/nceh/lead/default.htm>

USEPA

Basic information about lead in drinking water: <https://www.epa.gov/ground-water-and-drinking-water/basic-information-about-lead-drinking-water>

3Ts guide for reducing lead in drinking water in schools <https://www.epa.gov/dwreginfo/3ts-reducing-lead-drinking-water-schools-and-child-care-facilities>

Guide to Establishing routine practices:

https://www.epa.gov/sites/production/files/2018/09/documents/module_6_establishing_routine_practices_508.pdf

If you have any questions regarding lead or copper in drinking water or your sampling results, please contact: **Timothy Michaud** at (978-630-8791) and (timothy.michaud@veolia.com)

Sincerely,



Gardner Water Department

PWSID #: 2103000

cc: MassDEP Regional Office

³ The Maximum Contaminant Level Goal (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. The Action Level is the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

⁴ <https://www.epa.gov/ground-water-and-drinking-water/basic-information-about-lead-drinking-water>

**NOTICE OF TAP WATER RESULTS
LEAD AND COPPER RULE SAMPLING PROGRAM SCHOOL RESULTS**
For Schools that are not a MassDEP registered public water system

Please note: the LCR program for public water systems is not the Lead Contamination Control Act (LCCA)¹ program for schools or Early Education and Care (EEC) childcare facility for evaluating lead and copper in drinking water. MassDEP encourage you to use these LCR results to enhance your LCCA program. For assistance with your LCCA program please see the MassDEP Drinking Water Program contact information listed in the Information section below.

School/Childcare Facility Name: MOC Garrison Center
 Sampling Address: 444 Green Street
 Copy of analytical report attached: Yes No

Date: 10/17/2022
 Date Samples Collected: 09/27/2022

Dear School Superintendent:

Thank you for your participation in the **Gardner Water Department** and Massachusetts Department of Environmental Protection (MassDEP) Lead and Copper Rule (LCR) public water system sampling program.

The lead and copper levels in the water samples we collected at your school for the period specified above are:

Location*	Result in milligrams per liter(mg/L)	Result is <u>Above the LCR Lead or Copper Action Level</u>	Result is <u>At or Below the LCR Lead or Copper Action Level</u>
Bubbler	LEAD: ND mg/L	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	COPPER: 0.114 mg/L	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Kitchen Sink	LEAD: ND mg/L	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	COPPER: 0.020 mg/L	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**The school should provide the PWS with sample location information using MassDEP recommended LCCA fixture location code (Org. Code - Location Code - Location Type - Location Name) e.g. 99999999-010-DW-Second Floor Bubbler near RM 210². For more information see <https://www.mass.gov/guides/sampling-for-lead-and-copper-at-schools-and-childcare-facilities#-how-to-label-taps->*

Exceeding a LCR Action Level is not a violation of the LCR but actions should be taken to address the elevated level. If your school copper results are above the Copper Action Level or your lead results are above the lowest possible lead concentration as recommended by the LCCA, follow the MassDEP guidance in the document titled "Follow-up Steps for Schools or Childcare Facilities Based on Lead and Copper Sampling Results" located at <https://www.mass.gov/guides/follow-up-steps-for-schools-and-ecf-with-lead-and-copper-sampling-results-above-the-action>. For assistance, contact the MassDEP Drinking Water Program at the email or phone number listed below.

Use the USEPA guide listed below to establish routine practices to reduce exposure to elevated lead levels, including the following:

- Regularly flush all water outlets used for drinking, food preparation or medical uses, particularly after weekends and long vacations when water may have been stagnant for a long period of time.
- Never use hot water from the faucet for drinking or cooking. Never boil water to remove lead. Boiling water may concentrate lead.
- If Point of Use (POU) treatment devices are installed, make sure they are maintained. An example of a POU device is a filter on a faucet or within a drinking water fountain or water bottle filler.

¹ <https://www.epa.gov/sites/production/files/2015-09/documents/epalccapamphlet1989.pdf>

² For information on how to assign identification for a LCCA tap is located in the Set up an LCCA Program at your School at <https://www.mass.gov/assistance-program-for-lead-in-school-drinking-water>

- These routine practices may also be applicable for copper.

Copper: The LCR Action Level for Copper is 1.3 mg/l and the Maximum Contaminant Level Goal (MCLG)³ is also 1.3 mg/l. When copper is present in water, it is typically due to the water flowing through service line or internal pipes or plumbing in buildings with copper and brass parts. *Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively short amount of time could experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years could suffer liver or kidney damage. People with Wilson's Disease should consult their personal doctor.*

Lead: The LCR Action Level for Lead is 0.015 mg/l and the MCLG is zero. When lead is present in water, it is typically due to the water flowing through service lines or internal pipes or plumbing in buildings with lead pipes or plumbing with lead solder or brass. *Infants and children who drink water containing lead in excess of the action level could experience delays in their physical or mental development. Children could show slight deficits in attention span and learning abilities. Adults who drink this water over many years could develop kidney problems or high blood pressure.* Because lead may pose serious health risks, both the EPA and the Centers for Disease Control and Prevention (CDC) agree that "there is no known safe level of lead in a child's blood"⁴, therefore MassDEP, and Massachusetts Department of Public Health (MDPH) recommend that water from taps/fixtures used for drinking, food preparation and medical uses in schools or EECF contain no measurable level of lead and that testing of school drinking water should be conducted by a Massachusetts certified laboratory capable of measuring concentrations of 1 ppb (ug/L) or lower.

For More Information:

MassDEP Lead and Copper in drinking water:

<https://www.mass.gov/service-details/is-there-lead-in-my-tap-water>

<https://www.mass.gov/service-details/copper-and-your-health>

<https://www.mass.gov/lists/contaminants#lead->

<https://www.mass.gov/files/documents/2017/12/11/pouompbcutips.pdf>

MassDEP Drinking Water Program Contact: program-director-dwp@mass.gov or 617-292-5770

MDPH Lead and Copper in Drinking Water FAQ and Quick Facts:

<https://www.mass.gov/service-details/sources-of-lead-besides-lead-paint>

<https://www.mass.gov/media/1571266/>

<https://www.mass.gov/media/1571251/>

CDC: <http://www.cdc.gov/nceh/lead/default.htm>

USEPA

Basic information about lead in drinking water: <https://www.epa.gov/ground-water-and-drinking-water/basic-information-about-lead-drinking-water>


3Ts guide for reducing lead in drinking water in schools <https://www.epa.gov/dwreginfo/3ts-reducing-lead-drinking-water-schools-and-child-care-facilities>

Guide to Establishing routine practices:

https://www.epa.gov/sites/production/files/2018/09/documents/module_6_establishing_routine_practices_508.pdf

If you have any questions regarding lead or copper in drinking water or your sampling results, please contact: **Timothy Michaud** at (978-630-8791) and (timothy.michaud@veolia.com)

Sincerely,



Gardner Water Department

PWSID #: 2103000

cc: MassDEP Regional Office

³ The Maximum Contaminant Level Goal (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. The Action Level is the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

⁴ <https://www.epa.gov/ground-water-and-drinking-water/basic-information-about-lead-drinking-water>



Lead and Copper Analysis Report

Doc Rev 12/2020

I. PWS INFORMATION : Please refer to your MADEP Lead and Copper sampling plan for approved sampling locations.

PWS ID #: City / Town:

PWS Name: PWS Class: COM NTNC TNC

Routine or Special Sample	Original, Resubmitted or Confirmation Report	If Resubmitted Report, list below:	
		(1) Reason for Resubmission	(2) Collection Date of Original Sample
<input checked="" type="checkbox"/> RS <input type="checkbox"/> SS	<input checked="" type="checkbox"/> Original <input type="checkbox"/> Resubmitted <input type="checkbox"/> Confirmation	<input type="checkbox"/> Resample <input type="checkbox"/> Reanalysis <input type="checkbox"/> Report Correction	

SAMPLE COMMENTS

II. ANALYTICAL LABORATORY INFORMATION: Attach copy of subcontracted lab analysis reports (as applicable)

Primary Lab MA Cert. #: Primary Lab Name: Subcontracted? (Y/N)

Analyte	Action Level (mg/L)	Lab Method	MDL (mg/L)	MRL (mg/L)	Analysis Lab MA Cert. #	Analysis Lab Name
Lead:	0.015	EPA 200.8	0.001	0.001	M-RI010	New England Testing Laboratory, Inc.
Copper:	1.3	EPA 200.8	0.005	0.005	M-RI010	New England Testing Laboratory, Inc.

LAB ANALYSIS COMMENTS		Result Qualifier	Result Qualifier Description
		U	U = Undetected

#	MassDEP Approved LCR Plan Sample Location	Collection Date	Dilution Factor	LEAD		Result Qualifier	COPPER		Result Qualifier	Primary Lab Sample ID# & Analysis Lab Sample ID#
				Date Analyzed	Result (mg/L)		Date Analyzed	Result (mg/L)		
				1	MWCC CAFETERIA BUBBLER		09/21/2022	1		
2	MWCC CAFETERIA KITCHEN SINK	09/21/2022	1	09/27/2022	0.017		09/27/2022	0.071		2I22021-02/2I22021-02
3	MOC GARRISON CENTER BUBBLER FL	09/21/2022	1	09/27/2022	ND	U	09/27/2022	0.038		2I22021-03/2I22021-03
4	MOC GARRISON CENTER BUBBLER	09/21/2022	1	09/27/2022	ND	U	09/27/2022	0.114		2I22021-04/2I22021-04
5	MOC GAARISON CENTER KITCHEN SIN	09/21/2022	1	09/27/2022	ND	U	09/27/2022	0.005		2I22021-05/2I22021-05
6	MOC GARRISON KITCHEN SINK	09/21/2022	1	09/27/2022	ND	U	09/27/2022	0.020		2I22021-06/2I22021-06
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										

Report SCHOOL RESULTS (250 ml) collected under (LCCA) in accordance with 310 CMR 22.06B(7)(a)9 below. Do not use these school results in 90th percentile calculations.

1										
2										
3										
4										

I certify under penalties of law that I am the person authorized to fill out this form and the information contained herein is true, accurate and complete to the best extent of my knowledge.

Primary Lab Director Signature:
 Date: 10/13/2022

In accordance with 310 CMR 22.15(2), if mailing paper reports, TWO copies of this report must be received by your MassDEP Regional Office no later than 10 days after the end of the month in which the results are received or no later than 10 days after the end of the monitoring period, whichever is sooner. Please note: Electronic reporting (eDEP) deadline is the same as above.

COM & NTNC public water suppliers must submit forms LCR-D or LCR-E with this form to the appropriate MassDEP Regional Office

DEP REVIEW STATUS (Initial & Date)	Review Comments
<input type="checkbox"/> Accepted <input type="checkbox"/> Disapproved	